DOZUKI

How to Set up Single Sign on with Onelogin

Set up single sign-on for your Dozuki site using OneLogin.

Written By: Dozuki System



How to Set up Single Sign on w..

INTRODUCTION

Dozuki sites support single sign-on (SSO) through the SAML 2.0 protocol. Use this guide to set up a SAML2 connection with OneLogin.

Step 1 — Log in to Onelogin

onelogin	Onelogin Reserve Q. Search Frequence Company Encrypting - Brance Age Bare	Onelogin user Application bewas Automatica Anton's Becury Battings Berelipen Registrations Forma Table Cartism Connection
Username	You don't have any spop a et up.	Administration
Continue Forgot Password		

• Log in to the Onelogin admin portal for your organization.

(i) If you do not have an internal login page, login from: <u>https://app.onelogin.com/login</u>

- Click on **Administration**.
- Click on Applications from the Applications list.

Step 2

onelogin Users Applications Devices Authentication Activity Security S	ettings Developers 🜔 Ha	onelogin Users Application	s Devices Authentication Activity Security Settin	ps Developers 💿 Heather	onelogin Users Applications Devices Authentication Activity	Security Settings Developers Bay	Heather
Applications	Add	Find Applications			Find Applications		
Q: search company apps See the new apps list		Q. search			Q sami		
Blake Cloud SAML Test Connector (Advanced) RehyState :	3 users SAML2.0, admin-configured	Accounting (306)	ESP (29)	Productivity (111)	JIRA/Confluence (with Resolution SAML SingleSignOn) resolution	SAML2.0	
Blake OsPvern SAML Test Connector (Advanced) Relegiblate :	3 users SAML2.0, admin-configured	Advertising (28) Airlines (22)	Events (16) Expense Management (27)	Product Management (8) Professional Services Automation (7)	Pilet Catastrophe SAML (IdP) OneLogin, Inc.	SAML2.0	
Blake SAML Test Connector (IdP w/ attr w/ sign response) RelayState :	3 users SAML2.0, admin-configured	Analysts (12)	Fax (19)	Project Management (77)	SAML 1.1 Test Connector (Advanced) OneLogin, Inc.	SAML1.1	
Brandon's SAMI, Test Connector (Advanced) RelayState :	4 users SAMI.2.0, admin-configured	Analytics (108)	File sharing (62) Einoncial services (216)	Public Relations (7)	SAML Multi ACS Index Connector OneLogin, Inc.	SAML2.0	
Dezeki Subdorrain : sostests	14 users SAMIL2.0, admin-configured	Appointment Scheduling (17)	Fitness (1)	Purchasing (2)	SAML Test Connector (Advanced) OneLogn, Inc.	SAMI.2.0	
Dezuki Mebile App Testing RelayState :	3 users SAMI.2.0, admin-configured	Automated Testing (3)	Food (1)	Quality Management (7)	SAML Test Connector (SP Shibboleth) OneLogin. Inc.	SAML2.0	
Dezuki DePrem Subdomain : dozukionprembeta	13 users SAML2.0, admin-configured	Backup (37)	FTP (2)	Recognition (8)	SCIM Previsioner with SAML (Core Schema v1.1) OreLogin. Inc.	SAML2.0, provisioning	
QA SAML Test Connector RelayState :	5 users SAMI.2.0, admin-configured	Banking (72)	Graphics (29)	Recruiting (73)	SCIM Provisioner with SAML (Enterprise Schema v1.1)	SAML2.0, provisioning	

- Click on Add Application.
- Search for **saml**.
- Choose SAML Test Connector (Advanced)



- Type a display name for your
 Dozuki site into the **Display Name** field.
 - For customers with a single
 Dozuki site, we recommend using
 Dozuki as the display name.
- Click Save.

			Single sign on	Single sign on: disabled. Login and account creation on this site happens normally.
General			Danuel (SCO. UP)	
Plan	factory		Deam 300. One	NO VAIUE SET
Title	Heather	Edit	Dozuki SSO: Logout URL	No Value Set
Description	<your description="" go="" here="" site="" will=""></your>	Edit	Dozuki SSO: Secret	No Value Set
Home page	Guide	Edit	CAME 2 Or Identity Denvider Entity	M. Malazza
Custom domain	Not using a custom domain	Edit	ID	No value Set
Alternate domain aliases	No Value Set	Edit	SAML: Identity provider URL	No Value Set
E-commerce link	No Value Set	Edit	SAML Metadata	Download Metadata
Google Analytics key	No Value Set	Edit	SAML: Logout URL	No Value Set
Mobile apps	Your site is not listed in the Dozuki mobile apps.	Edit		
Persistent API Token	8IfjgpLYhDraPZ48NHr9e9cTeiS2lbZs	Edit	SAML: Identity Provider X.509 Certificate	No Value Set
Footer site statistics	Your site's view statistics will be displayed in the site footer.	Edit	Google Login	Google login is disabled
Guides				
Default guide conclusion	Caterpillar: Confidential Green	Edit		
Automatic guide titles	Automatic generation of guide titles is disabled	Edit		

- Open the management console of your Dozuki site in another browser window.
- From the **Configuration** section in the sidebar menu, select **Security**.
- Download the SAML `metadata.xml` file.
 - \fbox Open this file with a text editor.

AWL Test connec	(Advanced)	
info	Application details	
Configuration	RelayState	
Parameters		
Rules	Audience (EntityID)	
SSO		
Access	Recipient	
Jsers		
Privileges	ACS (Consumer) URL Validator*	
Setup	*https:///Vheather\.dozuki\.comV.*	
	(i) *Required.	
	ACS (Consumer) URL*	
	https://heather.dozuki.com/Guide/User/remote_login	
	① *Required	
	Single Logout URL	
	https://heather.dozuki.com/Guide/logout	
	Login URL	
	heather dozuki com	

- Under the Configuration Tab in Onelogin:
 - Enter the ACS (Consumer) URL
 - Refer to the
 AssertionConsumerService
 Location value in the SAML
 `metadata.xml` file.
 - Enter the **Single Logout (URL)**.
 - Refer to the SingleLogoutService Location value in the SAML `metadata.xml` file.
 - Enter the ACS (Consumer) URL
 Validator setting.
 - This should be formatted with your Dozuki site domain as shown in the image: ^https://// the Dozuki site domain, followed by V.*. Additionally add a \ before every .
 - Under Login URL, enter the URL of the page on your Dozuki site that you want your users to reach once signing in.

onelogin Users Applicat	ions Devices Authentication Activity Security Settings Developers Buy
Applications / SAML Test Connector (A	More Actions • Save
Info	https://heather.dozuki.com/Guide/logout
Configuration	Login URL
Parameters	heather.dozuki.com
Rules	Only required If you select Service Provider as the SAML Initiater.
SSO	SAML not valid before
Access	3
Users	() * Required - Specifies time period, in minutes, the assertion is valid for.
Privileges	SAML not valid on or after
Setup	3
	() * Required - Specifies time period, in minutes, the assertion is valid for.
	SAML initiator
	OneLogin
	Service Provider
	OneLogin
	SAML issuer type
	Specific 👻
	SAML signature element

- Scroll down and set SAML initiator to Service Provider
- Click the **Save** to save all changes.

Step 7 — Set User Attributes and Claims

onelogin Users Applications Devices Authentication Activity Security Settings Developers Bay	Onblogin Users Applications Devices Authentication Activity Security Settings Developers Buy	onelogin Users Applications Devices Authentication Activity Security Sectings Developers Buy 🔘 Heather
Applications / SAML Test Connector (Advanced) Save	Applications / More Actions + Save	Applications / More Actions + Save
Access Uses Series Seri	Mev Field Max Max <td>Edi Field enal Mare a mark Mare a mark Mark a mark Mark a mark Mark a mark Mark a mark Mark a mark Mark a mark a mark Mark a mark a</td>	Edi Field enal Mare a mark Mare a mark Mark a mark Mark a mark Mark a mark Mark a mark Mark a mark Mark a mark a mark Mark a mark a

- Under the **Parameters** Tab in Onelogin:
- Click the + button to add SAML Test Connector (Advanced) Fields.
- Enter email into the **Field Name**.
- Under Flags verify Include in SAML assertion is checked.
- Click the **Save** button.
- Confirm the Value is set to -No default-.
- Click the **Save** button to add the field.

Selection on Appendix and Appendix and Appendix and Appendix and Appendix and Appendix and Appendix			
Arrested in the second data ar	Onelogin Users Applications Devices Authentication Activity Security Settings Developers Buy	Heather Onblogin Users Applications Devices Authentication Activity Security Settings Developers Buy	🔘 Heathar OnBlogin Users Applications Devices Authentication Activity Security Settings Devicipers Buy 🔘 Heathar
Mb Oddenia re Conjugati Qualità Conjugati Qualit	Applications / SAML Test Connector (Advanced)	Are Actions - Steel Same Actions - Same Section - Same Connector (Advance" New Field	Anne - Steel SAML Test Connector (Advance - Steel Field role
N/I M/I Value Image: Cancer (Marcent) (M	Info Credentials are Configuration Configuration Configuration Configuration Configurate by admins and shared by all sees Parameters	Compared and a second and	juis, Conference de la
Line Part Part Access Part Access Part Access Access <th< th=""><th>Rules SAML Test Connector (Advanced) Field Value</th><th></th><th>Value Value 0</th></th<>	Rules SAML Test Connector (Advanced) Field Value		Value Value 0
And -bddraft datas space Rage Rage Rade Rage Rade Rage Rade Rad Rad Rad Rade </th <th>Access Email</th> <th>Access</th> <th></th>	Access Email	Access	
Song Cavit Erro Erro Cavit Erro Erro Cavit Erro Erro Erro Erro Erro Erro Erro Err	Users enall -No default - o Prologes	atan papaner Uara Multivale paneter uaran	Tap and Tap and an and a second
	ing .	Canter Energy	Canad Dates T

- Click the + button again to add an additional SAML Test Connector (Advanced) Fields.
- Enter role into the **Field Name**.
- Under Flags verify Include in SAML assertion is checked.
- Click the **Save** button.
- Confirm the Value is set to -No default-.
- Click the **Save** button to add the field.

Onelogin Users Applications Devices Authentication Activity Security Sectorigs Developers Boy	Onelogin Users Applications Devices Authentication Activity Security Settings Developers Boy	onelogin users Applications Davious Authentication Activity Security Settings Developers Boy 🔘 Heather
Applications / SAML Test Connector (Advanced) Size	Applications / Move Actions + Save	Application / SAML Test Connector (Advance* Edit Field userid
Info Configuration Configuration Configurate by addine. Premeter: Premeter: Der	Information Construction Constr	Info Conference Confer
SSO SAME Test Cremettor (Advanced) Field Value	50 Byp	100 Violation Violatio Violatio Violation Violation Violation Violation Violation Viol
Access ersal -No default - coston parameter Users	Access	Access Tags Users
Poninges als its aduation coden parener	Paraget a careet to a	Alonger a launa parana Bag a Cared Data: The launa parana

- Click the + button to add SAML Test Connector (Advanced) Fields.
- Enter userid into the **Field Name**.
- Under Flags verify Include in SAML assertion is checked.
- Click the **Save** button.
- Confirm the Value is set to -No default-.
- Click the **Save** button to add the field.

onelogin Users Applicati	ons Devices Authentication Activity Security Settings D	evelopers B	9 🕘 Heather	onelogin Users Applications De	vices Authentication Activity Security Settings Developers	Buy Deather	onelogin Users Applications	Devices Authentication Activity Security Settings Developers	Buy Deather
Applications / SAML Test Connector (Ar	dvanced)		More Actions ¥ Save	Applications / SAML Test Connector (Advance	New Eield	More Actions * Save	Applications / SAML Test Connector (Advan-	Edit Field username	More Actions + Save
Info Configuration Parameters Bules	Credentials are Configured by admin. Configured by admins and shared by all users		0	Info Credu Configuration C Parameters Brides	Field name seemanne ① This is the name of the field in the applications API		info Configuration	Name Usertame	
\$\$0	SAML Test Connector (Advanced) Field	Value	0		Base	0	550	• No default -	0
Access	erral	- No default -	custom parameter	Access Upers	Include in SAML assertion Moltivable exercises	custom parameter	Access	Tags	custom parameter
Privileges	rele	- No default -	custom parameter	Privileges		custom parameter	Privileges	Include in DAMIC asserbon	custom parameter
Setup	userid	- No default -	custom parameter	Setup 44	Cancel	custom parameter	Setup	Cancel Delete Save	custom parameter custom parameter

- Click the + button to add SAML Test Connector (Advanced) Fields.
- Enter username into the Field Name.
- Under Flags verify Include in SAML assertion is checked.
- Click the **Save** button.
- Confirm the Value is set to -No default-.
- Click the **Save** button to add the field.

Step 11 — Assign a User or Group

onelogin Users Application	s Devices Authentication Activity Security Settings Dev	welopers Ba	y 🕘 Heathe	one	elogin Users Applications Dev	ices Authentication Activity Security Settings Developers	Buy (eather	onelogin Users Application	ns Devices Authentication A	stivity Security Settings	Developers	Buy
Applications / Users SAML Test Roles	ced)		More Actions • Save	Use	3ers		More Actions + New User	Beather Crary				More Actions • Save User
Info Groups Configuration Mappings Parameters Custom User Fields	ederials are) Configured by admin Configured by admins and shared by all users				Carl Roberts Carl Roberts carl roberts geneticitien com	s	Never logged in	User Info Authentication Applications	Roles Defailt ==	Applications	eather@prototlep.com	Admin.configured
Rules Provisioning	SAML Test Connector (Advanced) Field	Value	0	4	Heather Crary heather@prototiop.com	Default account owner	Last logged in about 1 hour ago	Activity				
Sol Registration	NamelD value	Errol										
Users	email	- No default -	custom parameter									
Privileges	role	- No default -	custom parameter									
Setup	userid	- No default -	custom parameter									
	username	- No default -	custom parameter									

- From the page header, Click on **Users** and select **Users** or **Groups** from the dropdown list.
- Select the **User** or **Group** you to want to assign to the application.
- Click the **Applications** tab.
- Click the + button and add your Dozuki application.



- Select the **Dozuki** application.
- Click the **Continue** button.
- Fill out the required user fields.
 - (i) Only lowercase should be used when filling out the user fields.
 - If you are adding a user that has an existing user account on your Dozuki site, the email field **must** match the Dozuki site user's email. If they do not match, a new user will be created upon logging in.
- Click the **Save** button to save all entries.
- You can read more about <u>adding and assigning users</u> in Onelogin.

Step 13 — SAML Signing Certificate

Onblogin tires Applications, Divices Anthenitication Activity Bearing Developers Bay State for the Activity Bearing Bay State for the Activity Bay State for the Activi	onalogin bies Aptrateus Dences Authentication Activity Security Settings Developers Bity Presher Applications Activity Security Settings Developers	OnBOGIN tives Aptentions bence Automostilu Activity feedity Settings Deviligers Bit Instantion Activity Settings Control (Advanced)
Lan refs Calific Careers	A structure transport space 2 som Named 2 som Markyllater: 23442.0.4000-tour/space	Instrumentation Exclusion Origination Subact 20 Subact 20 Subact 20 Parameter Subact 20 Subact 20 Subact 20 Subact 2

- Select **Applications** from the **Applications** list in OneLogin.
- Select the **Dozuki** application.
- Click on the **SSO tab**.
- Copy the **Issuer URL**.

			Single sign on	Single sign on: disabled. Login and account creation on this site happens	
General				normally.	
Plan	factory		Dozuki SSO: URL	No Value Set	
Title	Heather	Edit	Dozuki SSO: Logout URL	No Value Set	
Description	<your description="" go="" here="" site="" will=""></your>	Edit			
Home page	Guide	Edit	Dozuki SSO: Secret	No Value Set	1
Custom domain	Not using a custom domain	Edit	SAML 2.0: Identity Provider Entity	The unique identifier for your identity provider. This must be a URI and	Car
Alternate domain aliases	No Value Set	Edit	10	must match the Issuer field that is sent in your identity provider's SAML 2.0 responses.	
E-commerce link	No Value Set	Edit		https://app.onelogin.com/saml/metadata/d9b84655-33fc-4b86-a339-5!	
Google Analytics key	No Volue Set	Edit		Same	
Mobile apps	Your site is not listed in the Dozuki mobile apps.	Edit			
Persistent API Token	8IfjgpLYhDraPZ48NHr9e9cTeiS21bZs	Edit	SAML: Identity provider URL	No Value Set	1
Footer site statistics	Your site's view statistics will be displayed in the site footer.	Edit	SAML Metadata	Download Metadata	
			SAML: Logout URL	No Value Set	E
Guides			SAMI - Identity Provider ¥ 509	Mali de contrata de	
Default guide conclusion	Caterpillar: Confidential Green	Edit	Certificate	Valid certificate	E
Automatic guide titles	Automatic generation of guide titles is disabled	Edit	Google Login	Google login is disabled	

- Open the management console of your Dozuki site in another browser window.
- From the **Configuration** section in the sidebar menu, select **Security**.
- Under the Authentication heading section, paste the Issuer URL into the SAML 2.0: Identity
 Provider ID text field in your Dozuki site.
- Click the **Save** button to save your changes.

onelogin Users Application	ions Devices Authentication Activity Security Settings Developers Buy	Heather	onelogin Users Applications Devices Authentication Activity Security Set	tings Developers Buy	. Heather
Applications / SAML Test Connector (A	dvanced)	More Actions • Save	Certificates / Standard Strength Certificate (2048-bit)		Delete Save
Info Configuration Parameters	Enable SAML2.0 Sign on method SAML2.0 X.599 Certificate		Key length 2048-bit SHA fingerprint		
Rules SSO	Standard Strength Certificate (2048-bit) Change View Details		SHA1		
Access Users Privilance	SAM. Signature Algorithm SHA-1 state of the		Fingerprint 89:40:39:7C:39:01:F1:F3:84:57:80:29:30:A4:F7:38:E9:77:28:1A	10	
Setup	https://app.onelogin.com/sami/metadata/d9b84655-33fc-4b86+a339-55cabc7eed24 SAML 2.0 Endpoint (HTTP) https://baser.ondpoint.com/frast/camt2/http.nos/case/d9b84655-33fc-4b86-a330-55cabc7aed24	10 10	X.509 Certificate X.509 Certificate		
	Inges / Heatmes energinic contributed and 2 mitply point about produced of solid view as a solid produced of the solid produced of t	6	BEGIN CERTIFICATE MIID3DCCASSpAN EBAgILM41D2CA1Dw0119dEU+VDmQpWPgpwDQYJKoZIIvvcKAQEF BQDARTEQM4GALUECQmMaGYDdoIn [5] YCMMMALUECQmM7Z31TQ70m4kg3MRQMRcw GAT0VQQD0BFFbmVMb2dpb1B972ivCM47B0DAEFebyyMb24Tg3x0QXx0DFaFhbyMTEy MFg30QD0xPMEUKESAD08QDV%ADM8ZD1YXRb2XTkF1TB4gW8ASM9E32UVX2Lu	B	
			IELLUGEAMBGALUEAMMBTZSITGADAMGQRMIJDSVudEAMgGELMMBGCSGGSIDSDQEB AQUAAEIBDMAMggEKAOIBAQDXXMSSQ8FAGrEHulxjmSIISIcbcGIIFeOMQDRAVJGS		

- From the OneLogin site, click **View Details** of the **X.509 Certificate**.
- Copy the X.509 Certificate.

			Authentication			Single sign on	Single sign on: disabled. Login and account creation on this site happens normally.	Edit
			Single sign on	Single sign on: disabled. Login and account creation on this site happens normally.	Edit		THE TRACE OF	EG
General			Decoki SSO: URL	No Value Set	Edit	Decoli SSO: Logret UIIL	No Value Set	Ed
Plan	factory					Decuki SSO: Secret	No Value Set	E
Title	Heather	Edit	Decisio SSU: Cognet ONL	No Value Set	Edit	SAML 2.0: Identity Provider Entity	No Volue Set	
escription	syour site description will go here>	Edit	Dezuki SSO: Secret	No Value Set	Edit	ID		5
Home page	Guide	Edit	SAML 2.0: Identity Provider Entity	No Value Set	Edit	SAML: Identity provider URL	No Value Set	E
lustom domain	Not using a custom domain	Edit	ID			SAML Metadata	Download Metadata	
iternate domain aliases	No Volue Set	Edit	SAML: Identity provider URL	No Value Set	Edit	SAMI - Losset 181	No Vision Pra	
E-commerce link	No Value Set	Edit	SAML Motadata	Download Metadata			No value set	E
ioogle Analytics key	No Volue Set	Edit	SAML: Logool URL	No Volue Set		SAML: Identity Provider X.509 Certificate	When using SAML, this must be set to the public X.509 certificate that is used by your identity provider.	Can
Aubile apps	Your site is not listed in the Dozuki mobile apps.	Edit			Lun		It should be formatted similar to the following example.	
Persistent API Taken	BIfjgpLYhDraPZ48Nfr9e9cTeiS21bZs	Edit	SAML: Identity Provider X.509 Certificate	No Value Set	Edit		BEGIN CERTIFICATE MIIEVTCCAz2gAwIBAgIOAUDiuJWvAAAAAE9rpoQwDQYJKoZIhvcNAQEFBQAwdTEN	
outer site statistics	Your site's view statistics will be displayed in the site footer.	Edit	Google Login	Google login is disabled	Edit		MASGATUEAwwEUZV23JEYMBYGATUECwwPMDBEsTAwMDAwMDB1RTZqMRcwFQYDVQQK HEVRX/RJYSG+ END CERTIFICATE	
Guides							L7CvLHcuelyuCF1RbwfUu6+KPfZHVwfmqa2tof1EQTEL0M9q+3jCrK1V26hegH	7
Default guide conclusion	Caterpillar: Confidential Green	Edit					1X9	^
Automatic guide titles	Automatic generation of guide titles is disabled	Edit					END CERTIFICATE	• •
				ABOUT HELP API			Save	

- Open the management console of your Dozuki site.
- Under the Authentication heading section of the Dozuki Security page, click on SAML: Identity Provider X.509 Certificate.
 - The certificate should be formatted similar to the example shown under the **Authentication** section.
- Paste the certificate into the text field.
- Click the **Save** button to save your changes.

Step 17 — Add Onelogin Logout URL

						Authentication		
uthentication ngle sign on	Single sign on: disabled, Login and account creation on this site happens normally.	Edit	onelogin Users Appli	atlana Devices Authentication Activity Security Settings Developers Br	ay 🕘 Heather	Single sign on	Single sign on: disabled . Login and account creation on this site happens normally.	Edit
Dezuki SSO: URL	No Volue Set	Edit	SAML Test Connector	(Advanced)	More Actions • Save	Depuki SSO: URL	No Value Set	Edit
Decuki SSO: Logout URL	No Value Set	Edit	Info	Enable SAML2.0		Dezuki SSO: Logout URL	No Value Set	Edit
Deauki SSO: Secret	No Volue Set	Edit	Configuration Parameters	SAMI2.0		Dazuki SSO: Secret	No Value Set	Edit
SAME, 2.0. Identity Provider Entity ID	http://www.azure.com/esk2c5ollCxp679FW5d6	Edit	Rules	Standard Strength Certificate (2548-bit) Chance View Details		SAML 2.0. Identity Pravider Entity ID	https://app.onelogin.com/saml/metadata/d9b84655-33fc-4b86-a339-	Edit
SAML: Identity provider URL	https://dozukid.ozuki1.okta.com/app/dozukidozuki1_dozuki_1/ex42c5oIICxp679FW5d6/sso/sami	Edit	Access	SAMI, Signature Algorithm		SAML: Identity provider URL	SSCatic / eee.24	Edit
SAML Metadata	Download Metadata	P.4%	Users Privileges	aueri •		SAML Metadata	Download Metadata	Luit
SAML: Identity Provider X.509 Certificate	Valid certificate	Edit	Setup	https://app.onelogin.com/saml/metadata/d9084655-32fo-4586-a239-55cabc7eed24	15	SAML: Logout URL	When using SAML, users will be redirected to this URL after logging out.	Cancel
ogle Login	Google login is disabled	Edit		https://heather.onelogin.com/trust/sami2/http-post/sso/d9b84655-33fc-4b86-a339-55cabc7eed	24 B		https://heather.onelogin.com/trust/saml2/http-redirect/slo/1330276	1
				SLO Endpoint (HTTP) https://hea/her.onelogin.com/trust/sami2/http-redirect/slo/1320276	B		Save	
						SAML: Identity Provider X.509 Certificate	Valid certificate	Edit
						Google Login	Google login is disabled	Edit

- Click on the **SAML: Logout URL** heading under **Authentication**.
- Under the **SSO** tab in Onelogin, click on the **Copy** icon next to **SLO Endpoint (HTTP)**.
- Paste the SLO Endpoint into the SAML: Logout URL text field in your Dozuki site.
- Click the **Save** button to save your changes.

Step 18 — Test Onelogin Connection

						Authentication		
Authentication			onelogin Users Applicat	ions Devices Authentication Activity Security Settings Developers Bi	w 💽 Heather	Single sign on	Single sign on: disabled. Login and account creation on this site happens normally.	Edit
Single sign on	Single sign on: disabled. Login and account creation on this site happens normally.	Edit	Applications / SAML Test Connector (A	dvanced)	More Actions • Save	Dezvid SSO: URL	No Value Set	Edit
Dezuki SSO: URL	No Volue Set	Edit		Enable SAMI 2.0		Dreski SSO: Legnut URL	No Volue Set	Edit
Dezaki SSO: Lagent URL	No Volue Set	Edit	Configuration	Sign on method RAM 2.0		Decuki SSO: Secret	No Value Set	Edit
Dozuki SSO: Secret	No Value Set	Edit	Parameters	X.509 Certificate		SAML 2.0: Identity Provider Entity ID	https://app.onelogin.com/saml/metadata/d9b84655-33fc-4b86-a339-55cabc7eed24	Edit
SAME 2.0: Identity Provider Entity ID	http://www.azure.com/exk2c5ollCxp679FW5d6	Edit	Rules	Standard Strength Certificate (2048 bit) Change View Details		SAML: Identity pravider URL	When using SAML users will be redirected to this URL when attempting to login.	Cancel
SAML: Identify provider URL	No Volue Set	Edit	Access	SAMI, Signature Algorithm				
SAML Metadata	Download Metadata		Users	SHA-1 ····································			Save	
SAML: Logout URL	No Volue Set	Edit	Privileges Setuo	https://app.onelogin.com/saml/metadata/d9b84655-33fc-4b86-a339-55cabc7eed24	ю		Test a SAML identity provider URL After setting up SAML, test your implementation by pasting your identity provider URL here:	
SAML: Identity Provider X.529 Certificate	Valid certificate	Edit		SAML 2.0 Endpoint (HTTP)			https://heather.onelogin.com/trust/sami2/http://TestSAML1.1 TestSAML2.0	
Google Login	Google login is disabled	Edit		https://heather.onelogin.com/trust/sam/2/http.post/sso/d9b84655-331c-4b86-a339-35cabc7eed	24	700 Marchae		
				https://heather.onelogin.com/trust/saml2/http-redirect/slo/1330276	15	and mound	Download Metabata	
						SAME: Logout URL	https://heather.onelogin.com/trust/saml2/http-redirect/slo/1330276	Edit
						SAML: Identity Provider X.509 Certificate	Valid certificate	Edit
						Google Login	Google login is disabled	Edit

- Click on the **SAML: Identity provider URL** heading under **Authentication**.
- Under the SSO section in Onelogin, click on the Copy icon next to SAML 2.0 Endpoint.
- Paste the SAML 2.0 Endpoint into the Test a SAML identity provider URL text field in your Dozuki site to test the SSO connection.
 - We recommend testing the SAML connection through your Dozuki site before enabling SAML
 2.0 as the authentication mechanism. Testing the connection from within Dozuki will prevent disruption to your active site and current users.

Step 19 — Add Onelogin Connection

Single sign on	Single sign on: disabled. Login and account creation on this site happens normally.	Edit
Dozuki SSO: URL	No Value Set	Edit
Dozuki SSO: Logout URL	No Value Set	Edit
Dozuki SSO: Secret	No Value Set	Edit
SAML 2.0: Identity Provider Entity ID	https://app.onelogin.com/saml/metadata/d9b84655-33fc-4b86-a339-55cabc7eed24	Edi
SAML: Identity provider URL	When using SAML, users will be redirected to this URL when attempting to login. https://heather.onelogin.com/trust/saml2/http-post/sso/d9b84655-33fc-4b86-a339-55cabc7t	Cance
	Save Test a SAML identity provider URL After setting up SAML, test your implementation by pasting your identity provider URL here: https://heather.onelogin.com/trust/saml2/http Test SAML 1.1 Test SAML 2.0	
SAML Metadata	Download Metadata	
SAML: Logout URL	https://heather.onelogin.com/trust/saml2/http-redirect/slo/1330276	Edit
SAML: Identity Provider X.509 Certificate	Valid certificate	Edi

- Once the connection test succeeds, paste the SAML 2.0 Endpoint into the SAML: Identity provider URL field.
- Click the Save button to save your changes.

Step 20 — Enable Single Sign On

A	uthentication			Authentication			Authentication		
Sir	gle sign on	Single sign on: disabled. Login and account creation on this site happens normally.	Edit	Single sign on	Single Sign On type: Disabled 💙	Cancel	Single sign on	Single Sign On typi - V Disabled Dozuki SSO	Cancel
	Dezuki SSO: URI,	No Volue Set	Edit		- How to use SSO			-How to use SSO SAML SAML2	
	Dezuki SSO: Logout URL	No Volue Set	Edit	Denvid SSD: URL	No Value Set	F-414	Dezuki SSO: URL	Na Value Set	549
	Deauki SSO: Secret	No Volue Set	Edit	Dentel (CO. Learned 1991		Edit	Dep (100) Level 101		Eur
	SAMI, 2.0. Identity Provider Entity ID	https://app.onelogin.com/saml/metadata/d9b84655-33fc-4b86-a339-55cabc7eed24	Edit	bitas so tajor or	No value set	Edit	Distant and collow one	No Value Set	Edit
	SAML: Identity provider URL	https://heather.oneinein.com/trust/cami2/http://nost/cso/d9h8d455-33fr-dh86-a339-	C.4 14	Dezuki SSD: Secret	No Value Set	Edit	Dazuki SSO: Secret	No Value Set	Edit
		55cabc7eed24	Eun	SAML 2.0: Identity Provider Entity ID	https://app.onelogin.com/saml/metadata/d9b84655-33fc-4b86-a339-55cabc7eed24	Edit	SAML 2.0: Identity Provider Entity ID	https://app.onelogin.com/saml/metadata/d9b84655-33fc-4b86-a339-55cabc7eed24	Edit
	SAML Metadata	Download Metadata		SAML: Identity provider URL	https://heather.onelogin.com/trust/saml2/http-post/sso/d9b84655-33fc-4b86-a339-	Edit	SAML: Identity provider URL	https://heather.onelogin.com/trust/saml2/http-post/sso/d9b84655-33fc-4b86-a339-	Edit
	SAML: Logout URL	https://heather.onelogin.com/trust/saml2/http-redirect/slo/1330276	Edit		55cabc7eed24			5Scabc7eed24	
	SAML: Identity Provider X.509 Contribute	Valid certificate	Edit	SAML Metadata	Download Metadata		SAML Metadata	Download Metadata	
Ca	onte la sin	County India Mitchied		SAML: Logout URL	https://heather.onelogin.com/trust/saml2/http-redirect/slo/1330276	Edit	SAML: Legourt URL	https://heather.onelogin.com/trust/saml2/http-redirect/slo/1330276	Edit
00	ogre togni	Google rogin s usaureu	Edit	SAML: Identity Provider X.509 Certificate	Valid certificate	Edit	SAML: Identity Previder X.509 Certificate	Valid certificate	Edit
				Google Login	Google login is disabled	Edit	Google Login	Google login is disabled	Edit
						111-11			

- Click on the **Single sign on** heading under **Authentication**.
- Click on the Single Sign On type dropdown menu.
- Select **SAML 2** from the dropdown menu.
- Click the **Save** button to save your changes.

Step 21 — SSO: Role Attribute Prefix

				Aut	hentication						
А	thentication			Sing	le sign on	Single sign on: Using SAML Users are being redirected to your SAML endpoint when they try to log in:	Edit	Aut	hentication		
s	ngle sign on	Single sign on: using SAML. Users are being redirected to your SAML endpoint when they try to log in:	Edit		SAML 2.0: Identity	No Volue Set	Edit	Sing	le sign an	Single sign on: using SAML. Users are being redirected to your SAML endpoint when they try to log in:	Edit
	SAML 2.0: Identity Provider Entity ID	No Volue Set	Edit		SAML: Identity provider	* No Volue Set	Edit		SAML 2.0: Identity Provider Entity ID	No Volue Set	Edit
	SAML: Identity provider URL	No Volue Set	Edit		SAML Metadata	Download Metadata			SAML: Identity provider URL	No Volue Set	Edit
	SAML Metadata	Download Metadota			SAML: Logout URL	No Value Set	Edit		SAML Metadata	Download Metadata	
	SAML: Logout URL	No Volue Set	Edit		SAML: Identity Provide	r No Volue Set	Edit		SAML: Logout URL	No Volue Set	Edit
	SAML: Identity Provider X.509 Certificate	No Volue Set	Edit		X.509 Certificate SSO: Role Attribute	An Joppienal prefix for roles passed via SSO. For example, a prefix of 'dozvâi' will allow roles to be passed as 'dozvâi-«role»' ('dozvâi-	Cancel		SAML: Identity Provider X.509 Certificate	No Volue Set	Edit
	SSO: Role Attribute Prefix	No Volue Set	Edit		Prefix	admin', Yanuki suthar', etc). dazuki			SSO: Role Attribute Prefix	dozuáki	Edit
	SSO auth for signoffs & approvals	SSD authenticaiton is used for step signalfs and approval requests.	Edit						SSO auth for signoffs & approvals	\$\$O authentication is used for step signoffs and approval requests.	Edit
a	oogle Login	Geogle login is disabled	Edit		SSO auth for signoffs & approvals	SSO authenticalton is used for step signoffs and approval requests.	Edit	Goo	gle Login	Georgie login is disabled	Edit
				Goog	gle Login	Georgie Ingelin is disabled	Edit				

Once SSO is enabled on your Dozuki site, you have the option to add a role attribute prefix. This helps when syncing to third-party IdPs and will allow roles to be passed as `dozuki-<role>` (`dozuki-admin`, `dozuki-author`, etc.)

(i) Dozuki defined roles (admin, author, user, etc.) cannot be customized.

- Click Edit.
- Add your desired role attribute prefix.
- Click Save.
- Your role attribute prefix will be displayed.

Step 22 — SSO Authentication for Signoffs & Approvals

Single sign on	Single sign on: using SAML. Users are being redirected to your SAML endpoint when they try to log in:	2
Dezuki SSO: URL	No Value Set	
Dozuki SSO: Logout URL	No Value Set	1
Dozuki SSO: Secret	No Value Set	1
SAML 2.0: Identity Provider Entity ID	https://app.onelogin.com/saml/metadata/d9b84655-33fc-4b86-a339-55cabc7eed24	E
SAML: Identity provider URL	No Value Set	E
SAML Metadata	Download Metadata	
SAML: Logout URL	No Value Set	E
SAML: Identity Provider X.509 Certificate	Valid certificate	E
SSO auth for signoffs & approvals	Enables users to authenticate step signoffs and approval requests with SSO instead of using Dozuki passwords.	Can
~	Use SSO authentication for step signoffs and approval requests.	
	Save	
Google Login	Google login is disabled	E

- Once Single Sign On is enabled,
 SSO auth for signoffs &
 approvals will appear in the
 Authentication section of the
 Security settings.
 - This feature allows users to enter their SSO authentication for Signoffs and Approvals instead of a separate Dozuki password.
- SSO auth for signoffs & approvals is enabled by default when you enable SSO authentication.
 - Only disable SSO authentication for signoffs & approvals if you want your users to enter a *separate Dozuki password* for signoffs and approvals.